



ELSEVIER

## Molecular Cell Research

Vol. 1451, 1999

BIOCHIMICA ET BIOPHYSICA ACTA

**BBA**

www.elsevier.com/locate/bba

## Cumulative Contents

## Information for Contributors

## Reviews

Fatty acylation of proteins: new insights into membrane targeting of myristoylated and palmitoylated proteins  
*M.D. Resh (USA)*

Import of proteins into peroxisomes  
*E.H. Hettema, B. Distel and H.F. Tabak (Netherlands)* 17

## Regular papers

Cholesterylphosphoserine as inhibitor of cell adhesion and actin polymerization in human T cells  
*F. Cusinato, M. Carrara, S. Bova and A. Bruni (Italy)* 35

Preparation of recombinant rat interleukin-5 by baculovirus expression system and analysis of its biological activities  
*K. Ishihara, I. Satoh, T. Nittoh, T. Kanaya, H. Okazaki, T. Suzuki, T. Koyama, T. Sakamoto, T. Ide and K. Ohuchi (Japan)* 48

Evidence for IRF-1-dependent gene expression deficiency in interferon unresponsive HepG2 cells  
*M. Tnani and B.A. Bayard (France)* 59

Reduction of a tetrazolium salt, CTC, by intact HepG2 human hepatoma cells: subcellular localisation of reducing systems  
*T. Bernas and J. Dobrucki (Poland)* 73

Palmitoylation of GAP-43 by the ER-Golgi intermediate compartment and Golgi apparatus  
*R.E. McLaughlin and J.B. Denny (USA)* 82

Interaction of cadmium ( $Cd^{2+}$ ) with a 13-residue polypeptide analog of a putative calcium-binding motif of E-cadherin  
*W.C. Prozialeck and P.C. Lamar (USA)* 93

Activation of a thioesterase specific for very-long-chain fatty acids by adrenergic agonists in perfused hearts  
*I. Neuman, C. Lisdero, C. Finkelstein, P. Maloberti, C.F. Mendez, J.J. Poderoso and E.J. Podestá (Argentina)* 101

vii Interleukin-1 receptor-associated kinase and TRAF-6 mediate the transcriptional regulation of interleukin-2 by interleukin-1 via NF $\kappa$ B but unlike interleukin-1 are unable to stabilise interleukin-2 mRNA  
*C. Greene and L. O'Neill (Ireland)* 109

Troglitazone inhibits expression of the phosphoenolpyruvate carboxykinase gene by an insulin-independent mechanism  
*G.F. Davies, R.L. Khandelwal and W.J. Roesler (Canada)* 122

Identification of 30 kDa protein for  $Ca^{2+}$  releasing action of myotoxin *a* with a mechanism common to DIDS in skeletal muscle sarcoplasmic reticulum  
*Y. Hirata, N. Nakahata, M. Ohkura and Y. Ohizumi (Japan)* 132

Carp liver actin: isolation, polymerization and interaction with deoxyribonuclease I (DNase I)  
*L. Ciszak, A. Krawczenko, B. Polzar, H.G. Mannherz and M. Malicka-Blaszkiewicz (Germany, Poland)* 141

Characterization of pancreastatin receptors and signalling in adipocyte membranes  
*C. González-Yanes, J. Santos-Alvarez and V. Sánchez-Margalef (Spain)* 153

Heterogeneity in microparticle formation and exposure of anionic phospholipids at the plasma membrane of single adherent platelets  
*J.J. Briedé, J.W.M. Heemskerk, H.C. Hemker and T. Lindhout (The Netherlands)* 163

Thrombin mutants with altered enzymatic activity have an impaired mitogenic effect on mouse fibroblasts and are inefficient modulators of stellation of rat cortical astrocytes  
*R. Arcone, M.G. Pagliuca, A. Chinali, M. Grimaldi, G. Schettini, A. Gast and C. Pietropaolo (Italy, Switzerland)* 173

Stimulation of neutrophils by prenylcysteine analogs:  $Ca^{2+}$  release and influx  
*D. Tisch-Idelson, M. Sharabani, Y. Kloog and I. Aviram (Israel)* 187

RGD-CAP ( $\beta$ ig-h3) enhances the spreading of chondrocytes and fibroblasts via integrin $\alpha_1\beta_1$		
<i>S. Ohno, M. Noshiro, S. Makihira, T. Kawamoto, M. Shen, W. Yan, Y. Kawashima-Ohya, K. Fujimoto, K. Tanne and Y. Kato (China, Japan)</i>	196	
Direct proteasome inhibition by clasto-lactacystin $\beta$ -lactone permits the detection of ubiquitinated p21 <sup>wafl</sup> in ML-1 cells		
<i>K. Fukuchi, H. Maruyama, Y. Takagi and K. Gomi (Japan)</i>	206	
Type I nitric oxide synthase (NOS) is the predominant NOS in rat small intestine. Regulation by platelet-activating factor		
<i>X.-W. Qu, H. Wang, R.A. Rozenfeld, W. Huang and W. Hsueh (USA)</i>	211	
<i>Information for Contributors</i>	vii	
<i>Regular papers</i>		
Suppression of macrophage responses to bacterial lipopolysaccharide by a non-secretory form of secretory leukocyte protease inhibitor		
<i>J. Zhu, C. Nathan and A. Ding (USA)</i>	219	
Estradiol enhances liposome-mediated uptake, preferential nuclear accumulation and functional expression of exogenous genes in MDA-MB231 breast tumor cells		
<i>P.T. Jain, P. Seth and D.A. Gewirtz (USA)</i>	224	
Inhibition of neutrophil elastase by recombinant human proteinase inhibitor 9		
<i>J.R. Dahlen, D.C. Foster and W. Kisiel (USA)</i>	233	
Functional characterization of ARAKIN (ATMEKK1): a possible mediator in an osmotic stress response pathway in higher plants		
<i>L. Covic, N.F. Silva and R.R. Lew (Canada)</i>	242	
Effects of high extracellular K <sup>+</sup> concentrations, diazoxide and/or Ca <sup>2+</sup> deprivation upon D-glucose metabolism in pancreatic islets		
<i>W.J. Malaisse, S. Picton, F. Malaisse-Lagae and A. Sener (Belgium)</i>	252	
Bone morphogenetic protein-6 and parathyroid hormone-related protein coordinately regulate the hypertrophic conversion in mouse clonal chondrogenic EC cells, ATDC5		
<i>H. Ito, H. Akiyama, C. Shigeno and T. Nakamura (Japan)</i>	263	
Activation and inhibition of purified skeletal muscle calcium release channel by NO donors in single channel current recordings		
<i>J. Suko, H. Drobny and G. Hellmann (Austria)</i>	271	
Nuclear localization conferred by the pocket domain of the retinoblastoma gene product		
<i>E. Zackenhaus, Z. Jiang, Y.J. Hei, R.A. Phillips and B.L. Gallie (Canada)</i>	288	
Gastrin effects on isolated rat enterochromaffin-like cells following long-term hypergastrinaemia in vivo		
<i>N. Andersson, M. Rhedin, B. Peteri-Brunbäck, K. Andersson and J.L. Cabero (Sweden)</i>	297	
Modulation of <i>Xenopus</i> oocyte-expressed phospholemman-induced ion currents by co-expression of protein kinases		
<i>J.P. Mounsey, K.P. Lu, M.K. Patel, Z.-h. Chen, L.T. Horne, J.E. John III, A.R. Means, L.R. Jones and J.R. Moorman (USA)</i>	305	
Co-expression of inducible nitric oxide synthase and arginases in different human monocyte subsets. Apoptosis regulated by endogenous NO		
<i>A. Rouzaut, M.L. Subirà, C. de Miguel, E. Domingo-de-Miguel, A. González, E. Santiago and N. López-Moratalla (Spain)</i>	319	
A strategy to make constitutively active MAP kinase by fusing with constitutively active MAP kinase kinase		
<i>Y. Miyata, S. Adachi, H. Mizuno and E. Nishida (Japan)</i>	334	
Changes in the expression of myometrial ryanodine receptor mRNAs during human pregnancy		
<i>C. Martin, K.E. Chapman, S. Thornton and R.H. Ashley (UK)</i>	343	
Fc $\gamma$ RII tyrosine phosphorylation differs between Fc $\gamma$ RII cross-linking and platelet-activating anti-platelet monoclonal antibodies		
<i>R. Qi, Y. Ozaki, N. Asazuma, K. Satoh, Yutaka Yatomi, C.-L. Law, T. Hato and S. Nomura (Japan, USA)</i>	353	
<i>Corrigenda</i>		
Corrigendum to: 'Uptake and intracellular fate of phage display vectors in mammalian cells'		
<i>V.V. Ivanenkov, F. Felici and A.G. Menon</i>	364	
<i>Cumulative Contents, Vol. 1451</i>	365	
<i>Author Index</i>	367	

